

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

32-8857: Recombinant Mouse Interleukin-21/IL-21(N-6His)(Discontinued)

Gene ID: 121 **Gene ID:** 60505 **Uniprot ID:** 99ES17

Description

Source: E.coli. MW :14.4kD.

Recombinant Mouse Interleukin-21 is produced by our E.coli expression system and the target gene encoding Pro25-Ser146 is expressed with a 6His tag at the N-terminus. Interleukin-21(IL-21) is an approximately 14 kDa cytokine which belongs to the IL-15/IL-21 family. Mature mouse IL-21 shares 66%,59%, 58%, and 88% as sequence identity with mature canine, human, rabbit, and rat IL-21, respectively. IL-21 is produced by activated T follicular helper cells (Tfh), Th17 cells, and NKT cells. It exerts its biological effects through a heterodimeric receptor complex (IL-21 specific IL-21 R). IL-21 is a cytokine that has potent regulatory effects on cells of the immune system, including natural killer (NK) cells and cytotoxic T cells that can destroy virally infected or cancerous cells. This cytokine induces cell division/proliferation in its target cells. It is required for the migration of dendritic cells to draining lymph nodes .lt co-stimulates the activation, proliferation, and survival of CD8+ T cells and NKT cells and promotes Th17 cell polarization. It blocks the generation of regulatory T cells and their suppressive effects on CD4+ T cells.

Product Info

Amount: 10 μg / 50 μg

Content: Lyophilized from a 0.2 µm filtered solution of 20mM PB,150mM NaCl,pH7.4.

Lyophilized protein should be stored at -20°C, though stable at room temperature for 3 weeks.

Storage condition:

Lyophilized protein should be stored at -20°C, though stable at room temperature for 3 weeks.

Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of reconstituted

samples are stable at -20°C for 3 months.

Amino Acid: MGSSHHHHHHSSGLVPRGSHMPDRLLIRLRHLIDIVEQLKIYENDLDPELLSAPQDVKGHCEHAAFACFQKAKL

KPSNPGNNKTFIIDLVAQLRRRLPARRGGKKOKHIAKCPSCDSYEKRTPKEFLERLKWLLQKMIHOHLS

Application Note

Endotoxin : Less than $0.1 \text{ ng/}\tilde{A} \square \hat{A} \mu g$ (1 IEU/ $\tilde{A} \square \hat{A} \mu g$) as determined by LAL test.