

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

32-8969: Recombinant Rat Interleukin-2/IL-2 (C-6His)

Gene ID: 116562 **Uniprot ID:** P17108

Description

Source: Human Cells. MW:16.3kD.

Recombinant Rat Interleukin-2 is produced by our Mammalian expression system and the target gene encoding Ala21-Gln155 is expressed with a 6His tag at the C-terminus. Interleukin-2(IL-2)is a O-glycosylated four alpha -helix bundle cytokine that has potent stimulatory activity for antigenactivated T cells. It is expressed by CD4+ and CD8+ T cells, gamma delta T cells, B cells, dendritic cells, and eosinophils. Mature rat IL-2 shares 66% and 73% amino acid sequence identity with human and mouse IL-2,respectively. The receptor for IL-2 consists of three subunits that are present on the cell surface in varying preformed complexes. IL-2 is a powerful immunoregulatory lymphokine produced by T-cells in response to antigenic or mitogenic stimulation. IL-2/IL-2R signaling is required for T-cell proliferation and other fundamental functions that are essential for the immune response. IL-2 stimulates growth and differentiation of B-cells, NK cells, lymphokine-activated killer cells, monocytes, macrophages and oligodendrocytes.

Product Info

Amount : $10 \mu g / 50 \mu g$

Content: Supplied as a 0.2 μm filtered solution of 5mM NaH2PO4, 5mM Citric acid, 150mM NaCl, pH4.0.

Storage condition: Store at -20°C, stable for 6 months after receipt. Please minimize freeze-thaw cycles.

Amino Acid: APTSSPAKETQQHLEQLLLDLQVLLRGIDNYKNLKLPMMLTFKFYLPKQATELKHLQCLENELGALQRVLDLTQS

KSFHLEDAGNFISNIRVTVVKLKGSENKFECQFDDEPATVVEFLRRWIAICQSIISTMTQHHHHHH

Application Note

Endotoxin : Less than $0.1 \text{ ng}/\tilde{A} \square \hat{A} \mu g$ (1 IEU/ $\tilde{A} \square \hat{A} \mu g$) as determined by LAL test.