

32-9025: Recombinant Human Thrombospondin-1/THBS1 (C-10His)

Gene : THBS1
Gene ID : 7057
Uniprot ID : P07996

Description

Source: Human Cells.
MW :129.2kD.

Recombinant Human Thrombospondin-1 is produced by our expression system and the target gene encoding Asn19-Pro1170 is expressed Thrombospondin-1 (TSP-1) is a 150-180kDa calcium-sensitive protein that is secreted as a disulfide-linked homotrimer. TSP-1 regulates a wide range of cellular functions including their interactions with other cells and with the extracellular matrix (ECM). TSP-1 contains an N-terminal Laminin G-like globular domain, an extended central region with one vWFC domain, 3 TSP type 1 domains, 2 EGF-like domains, and 8 TSP type3 domains, and a globular TSP C-terminal domain. Distinct regions of TSP-1 have been associated with binding to particular ECM or cellular molecules. TSP-1 counteracts the angiogenic, hypotensive, and antithrombotic effects of nitric oxide (NO). It binds and neutralizes VEGF, blocks VEGF R2 signaling on vascular endothelial cells(EC), and destabilizes adhesive contacts between EC. TSP-1 also plays an important role in wound repair and tissue fibrosis by binding latent TGF-beta and inducing release of the active cytokine from the latency associated peptide (LAP).

Product Info

Amount : 10 µg / 50 µg
Content : Lyophilized from a 0.2 µm filtered solution of PBS, pH7.4.
Storage condition : Lyophilized protein should be stored at -20°C, though stable at room temperature for 3 weeks. Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of reconstituted samples are stable at -20°C for 3 months.
Amino Acid : NRIPESGGDNSVFDIFELTGAARKGSGRRLVKGPDSPSPAFRIEDANLIPPVPDDKFQDLVDAVRAEKGFLLLAS LRQMKKTRGTLALERKDHSGQVFSVSNKAGTLDLSLTVQKQHVVSVVEALLATGQWKSITLFVQEDRA QLYIDCEKMENAELDVPIQSVFTRDLASIALRLIAKGGVNDNFQGVLQNVRFVFGTTPEDILRNKGCSSSTSULL TLDNNVVGSSPAIRTNVYIGHKTKDLQAICGISDELSSMVLELRGLRTIVTTLQDSIRKVTEENKELANELRRPP LCYHNGVQYRNNEEWTVDSCTECHCQNSVTICKKVSCPIMPSCNATVPDGECCPRCWPSDSADDGWSPWSE WTSCSTSCGNGIQQRGRSCDSLNNRCEGSSVQTRTCHIQCEDKRFKQDGGWSHWSPWSSCSVTGCGDVIT RIRLCNSPSPQMNGKPCGEARETKACKKDACPINGGWGPWSPWDICSVTCGGGVQKRSRLCANNPTQFGG KDCVGDVTENQICNKQDCPIDGCLSNPCFAGVKCTSYPDGWSKCGACPPGYSGNGIQCTDVDECKEVPDACF NHNGEHRCENTDPGYNLPCPPRFTGSQPFQGVVEHATANKQVCKPRNPCTDGHDCNKNACNYLGHYSYD PMYRCECKPGYAGNGIICGEDTDLGWPENENLVCVANATYHCKKDNCPNLPNSGQEDYDKDGIGDACDDDD DNDKIPDDRDNC PFHYNPAQYDYDRDDVGDRCDCNCPYHNPDQADTDNNGEGDACAADIDGDGILNERDN CQYVYNVDQRDMDGVDGDCDNCLEHNPDLQSDSDRIGDTCDDNQDIDEDGHQNNLDNCPYVPAN QADHDKDGKGDACDHDDDDNDGIPDDKDCNRLVNPDPKDSGDGDRGDACKDDDFDHSVPDIDDICPENV DISETDFRRFQMIPLDPKGTSONDPNWWVRHQKELVQTVNCDPGLAVGYDEFNAVDFSGTFFINTERDDDY AGFVFGYQSSSRFYVMWKVQTQSYWDTNPTRAQGYSLVSVVNSTTGPGEHLRNALWHTGNTPGQVRTL WHDPRHIGWKDFTAYRWRLSHRPKTGFRVVMYEGKIMADSGPIYDKTYAGGRLGLFVFSQEMVFFSDLKYE CRDPGGGGSHHHHHHHHHH

Application Note

Endotoxin : Less than 0.1 ng/µg (1 IEU/µg) as determined by LAL test.