

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

## 12-1222: Anti-Napsin A (Lung Adenocarcinoma Marker) Recombinant Rabbit Monoclonal Antibody (Clone:NAPSA/1865R)

Clonality: Monoclonal
Clone Name: NAPSA/1865R

Application: IHC
Reactivity: Human
Gene: NAPSA
Gene ID: 9476
Uniprot ID: 096009
Format: Purified

Alternative Name:

ASP4, Aspartyl protease 4, KAP, Kidney derived aspartic protease like protein (Kdap), NAP1,

NAPA, Napsa, napsin A aspartic peptidase, Pronapsin A, SNAPA

**Isotype:** Rabbit IgG

Immunogen Information: Recombinant human Napsin-A protein fragment (aa189-299) (exact sequence is proprietary)

## **Description**

Napsin is a pepsin-like aspartic proteinaseconnected with maturation of surfactant protein B. There are two closely related napsins, napsin A and napsin B. Napsin A is expressed as a single chain protein. Immunohistochemical studies revealed high expression levels of napsin A in human lung and kidney but low expression in spleen. Napsin A is expressed in type II pneumocytes and in adenocarcinomas of lung. The high specificity expression of napsin A in adenocarcinomas of lung is useful to distinguish primary lung adenocarcinomas from adenocarcinomas of other organs.

## **Product Info**

Amount :  $20 \mu g / 100 \mu g$ Purification : Protein A/G

Content: 200µg/ml of recombinant MAb purified by Protein A/G. Prepared in 10mM PBS with 0.05% BSA &

0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.

**Storage condition :** Antibody with azide - store at 2 to 8°C. Antibody without azide - store at -20 to -80°C. Antibody

is stable for 24 months. Non-hazardous.

## **Application Note**

Immunohistochemistry (Formalin-fixed) (1-2µg/ml for 30 minutes at RT)(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95°C followed by cooling at RT for 20 minutes);



9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com




Figure 1: Formalin-fixed, paraffin-embedded human Lung Adenocarcinoma stained with Napsin A Rabbit Recombinant Monoclonal Antibody (NAPSA/1865R).




Figure 2: SDS-PAGE Analysis Purified Napsin A Rabbit Recombinant Monoclonal Antibody (NAPSA/1865R).