

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

44-1017: Anti-CD138 Monoclonal Antibody (Clone:IHC138)-Ready to Use

Clonality: Monoclonal **Clone Name:** IHC138 **Application:** IHC Reactivity: Human Gene: SDC1 Gene ID: 6382 **Uniprot ID:** P18827 SDC1,SDC **Alternative Name:**

Immunogen Information: Recombinant Human CD138

Description

"Cluster of differentiation 138 (CD138), also known as Syndecan-1, is a transmembrane glycoprotein present on the surface of B-cells during late stage differentiation. Anti-CD138 is used to differentiate marginal zone lymphoma from lymphoplasmacytic lymphoma. ALK+ Large B-Cell Lymphoma (LBCL) commonly stains positively for CD138, but not for CD20 and CD79a. Anti-CD138 reacts positively with HHV8-associated primary effusion lymphoma that lack B-cell markers."

Product Info

Amount: 7 ml

Purification: Protein A/G Chromatography

Content: Tris Buffer, pH 7.3 - 7.7, with 1% BSA and <0.1% Sodium Azide

Storage condition : Store at 2°C - 8°C. Do not freeze.

Application Note

This product is available in ready to use format, hence no dilution is required.




Figure 1: Immunohistochemical analysis of CD138 [Clone: IHC138] on Liver Cancer