

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

30-1117: Anti-CD11b / Mac-1 alpha Monoclonal Antibody (Clone:MEM-174)

Clonality: Monoclonal **Clone Name:** MEM-174 FACS. IP Application: Reactivity: Human Gene: **ITGAM** Gene ID: 3684 **Uniprot ID:** P11215 **Purified** Format:

Alternative Name: ITGAM,CD11B,CR3A Isotype: Mouse IgG2a

Immunogen Information: Human granulocytes

Description

CD11b (integrin alphaM subunit) is a 165-170 kDa type I transmembrane glycoprotein that non-covalently associates with integrin beta2 subunit (CD18); expression of the CD11b chain on the cell surface requires the presence of the CD18 antigen. CD11b/CD18 integrin (Mac-1, CR3) is highly expressed on NK cells, neutrophils, monocytes and less on macrophages. CD11b/CD18 integrin is implicated in various adhesive interactions of monocytes, macrophages and granulocytes, facilitating their diapedesis, as well as it mediates the uptake of complement coated particles, serving as a receptor for the iC3b fragment of the third complement component.

Product Info

Amount: 0.1 mg

Purification : Purified by protein-A affinity chromatography

Storage condition : Store at 2-8°C. Do not freeze.

Application Note

Flow Cytometry Recommended dilution:1 ̸Âμg/ml Positive control: Peripheral Blood Lymphocytes Immunoprecipitation Positive control: Granulocytes

CD11b/CD18 transfectants

Application note: Immunoprecipitation with the antibody MEM-174 was successfuly performed using immuno-affinity sorbents (minicolumns). The final immunosorbent should contain 1-5 mg of antibody/1 ml of sorbent gel (e.g. agarose beads) It is recommended to stimulate positive control material by LPS 1-2 days before to achieve better expression of target antigen).