

## 30-1198: Anti-CD162 / PSGL-1 Monoclonal Antibody (Clone:TB5)(Discontinued)

| Clonality :        | Monoclonal |
|--------------------|------------|
| Clone Name :       | TB5        |
| Application :      | FACS, IHC  |
| Reactivity :       | Human      |
| Gene :             | SELPLG     |
| Gene ID :          | 6404       |
| Uniprot ID :       | Q14242     |
| Format :           | Purified   |
| Alternative Name : | SELPLG     |
| Isotype :          | Mouse IgG1 |

## Description

CD162 (P-selectin glycoprotein ligand-1, PSGL-1) is a sialomucin constitutively expressed as a disulfide-linked homodimer of two 120 kDa subunits on the surface of circulating leukocytes. CD162 serves as a ligand for P- E- and L-selectin, with the highest affinity for P-selectin. It is thus involved in leukocyte rolling at the endothelial surfaces, prerequisite for firm leukocyte adhesion and subsequent transendothelial migration. CD162 also mediates leukocyte-platelet adhesion and interleukocyte contacts. Whereas serving as an adhession molecule on mature leukocytes, CD162 is a potent negative regulator of human hematopoietic progenitors.

## **Product Info**

| Amount :            | 0.1 mg  |
|---------------------|---|
| Purification :      | Purified by protein-A affinity chromatography |
| Storage condition : | Store at 2-8°C. Do not freeze.                |

## **Application Note**

Flow Cytometry Immunohistochemistry Positive tissue:tonsil, spleen