

30-1187: Anti-CD25 / IL-2R alpha chain Monoclonal Antibody (Clone:MEM-140)

Clonality :	Monoclonal
Clone Name :	MEM-140
Application :	IP, FACS
Reactivity :	Human
Gene :	IL2RA
Gene ID :	3559
Uniprot ID :	P01589
Format :	Purified
Alternative Name :	IL2RA
Isotype :	Mouse IgM
Immunogen Information :	PHA-activated peripheral blood leucocytes

Description

CD25 (IL2R α , Tac) is a ligand-binding α subunit of interleukin 2 receptor (IL2R). Together with beta and gamma subunit CD25 constitutes the high affinity IL2R, whereas CD25 alone serves as the low affinity IL2R. CD25 expression rapidly increases upon T cell activation. The 55 kDa CD25 molecule is enzymatically cleaved and shed from the cell surface as a soluble 45 kDa s-Tac, whose concentration in serum can be used as a marker of T cell activation. Expression of CD25 indicates the neoplastic phenotype of mast cells. Humanized anti CD25 antibodies represent a useful tool to reduce the incidence of allograft rejection as well as the severity of graft versus host reaction, and radioimmunoconjugates of anti-CD25 antibodies can be used against CD25 expressing lymphomas.

Product Info

Amount :	0.1 mg
Purification :	Purified by precipitation and chromatography
Storage condition :	Store at 2-8°C. Do not freeze.

Application Note

Immunoprecipitation excellent for immunoisolation of CD25⁺ cells **Flow Cytometry** *Recommended dilution:* 1 μ g/ml