

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

## 30-1195: Anti-CD27 Monoclonal Antibody (Clone:LT27)

Clonality: Monoclonal

Clone Name:

Application:

Reactivity:

Human

Gene:

CD27

Gene ID:

Uniprot ID:

P26842

Format:

Purified

Alternative Name: CD27,TNFRSF7 Isotype: Mouse IgG2a

Immunogen Information: Human peripheral blood lymphocytes

## **Description**

CD27 is a transmembrane 55 kDa protein of the nerve growth factor-receptor family, expressed as a disulfide-linked homodimer on mature thymocytes, peripheral blood T cells and a subpopulation of B cells. Activation of T cells via TCR-CD3 complex results in upregulation of CD27 expression on the plasma membrane as well as in the release of its soluble 28-32 kDa form, sCD27, detected in the plasma, urine or spinal fluid. This sCD27 is an important prognostic marker of acute and chronic B cell malignancies. RgpA, a cystein proteinase, although activating T cells through the protease-activated receptors (PARs), degradates CD27 and counteracts T cell activation mediated by CD27 and its ligand CD70.

## **Product Info**

Amount: 0.1 mg

**Purification :** Purified by precipitation and chromatography

**Storage condition :** Store at 2-8°C. Do not freeze.

## **Application Note**

Flow Cytometry Recommended dilution:2 ̸µg/ml