

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

30-1710: Anti-CD27 Monoclonal Antibody (Clone:LT27)-APC Conjugated

Clonality: Monoclonal

Clone Name:

Application:
FACS
Reactivity:
Human
Conjugate:
APC
Gene:
CD27
Gene ID:
939
Uniprot ID:
P26842

Alternative Name: CD27,TNFRSF7 Isotype: Mouse IgG2a

Immunogen Information: Human peripheral blood lymphocytes

Description

CD27 is a transmembrane 55 kDa protein of the nerve growth factor-receptor family, expressed as a disulfide-linked homodimer on mature thymocytes, peripheral blood T cells and a subpopulation of B cells. Activation of T cells via TCR-CD3 complex results in upregulation of CD27 expression on the plasma membrane as well as in the release of its soluble 28-32 kDa form, sCD27, detected in the plasma, urine or spinal fluid. This sCD27 is an important prognostic marker of acute and chronic B cell malignancies. RgpA, a cystein proteinase, although activating T cells through the protease-activated receptors (PARs), degradates CD27 and counteracts T cell activation mediated by CD27 and its ligand CD70.

Product Info

Amount: 100 tests

Storage condition: Store in the dark at 2-8°C. Do not freeze. Avoid prolonged exposure to light.




Figure 1: Surface staining of human peripheral blood cells with anti-human CD27 (LT27) APC.