

### 30-1301: Anti-HLA-G Monoclonal Antibody (Clone:MEM-G/2)

|                                |  |
|--------------------------------|--|
| <b>Clonality :</b>             | Monoclonal   |
| <b>Clone Name :</b>            | MEM-G/2  |
| <b>Application :</b>           | IHC, WB, IHC-Fr  |
| <b>Reactivity :</b>            | Human  |
| <b>Gene :</b>                  | HLA-G  |
| <b>Gene ID :</b>               | 3135   |
| <b>Uniprot ID :</b>            | P17693   |
| <b>Format :</b>                | Purified   |
| <b>Alternative Name :</b>      | HLA-G,HLA-6.0,HLAG   |
| <b>Isotype :</b>               | Mouse IgG1   |
| <b>Immunogen Information :</b> | Bacterially expressed recombinant HLA-G heavy chain (denatured). |

#### Product Info

|                            |  |
|----------------------------|--|
| <b>Amount :</b>            | 0.1 mg                                       |
| <b>Purification :</b>      | Purified by precipitation and chromatography |
| <b>Storage condition :</b> | Store at 2-8°C. Do not freeze.               |




Figure 1: Immunohistochemistry staining of kidney allograft biopsy (paraffin-embedded sections) with anti-human HLA-G (MEM-G/2).




Figure 2: Western blotting analysis of HLA-G in LCL-HLA-G transfectants using anti-HLA-G (MEM-G/2).