

## 32-20121: Recombinant Human Flt3-Ligand(Discontinued)

**Reactivity :** Human, Monkey, Mouse, Rabbit, Rat  
**Alternative Name :** Fms-related tyrosine kinase 3 ligand, Flt3L

### Description

**Source:** **E.coli** Flt3-Ligand is a growth factor that regulates proliferation of early hematopoietic cells. Flt3-Ligand binds to cells expressing the tyrosine kinase receptor Flt3. Flt3-Ligand, by itself does not stimulate proliferation of early hematopoietic cells, but synergizes with other CSFs and interleukins to induce growth and differentiation. Unlike SCF, Flt3-Ligand exerts no activity on mast cells. Multiple isoforms of Flt3-Ligand have been identified. The predominant biologically active form is anchored to the cell surface as the extracellular domain of a transmembrane protein (209 a.a.). The membrane-bound isoform can be proteolytically cleaved to generate a biologically active soluble isoform. Recombinant Human Flt3-Ligand is a soluble 17.6 kDa protein consisting of 155 amino acid residues.

### Product Info

**Amount :** 2 µg / 10 µg  
**Purification :** Purity:  $\geq 98\%$  by SDS-PAGE gel and HPLC analyses.  
**Content :** This recombinant protein is supplied in lyophilized form.  
**Amino Acid :** TQDCSFQHSP ISSDFAVKIR ELSDYLLQDY PVTVASNLQD EELCGGLWRL VLAQRWMERL KTVAGSKMQG  
LLERVNTEIH FVTKCAFQPP PSCLRFVQTN ISRLQETSE QLVALKPWIT RQNFSRCLEL QCQPDSSTLP  
PPWSPRPLEA TAPTA

### Application Note

The  $ED_{50}$  was determined by the dose-dependent stimulation of the proliferation of human AML5 cells is  $\leq 1.0$  ng/ml, corresponding to a specific activity of  $\geq 1 \times 10^6$  units/mg.