

32-20121: Recombinant Human Flt3-Ligand(Discontinued)

Reactivity : Human, Monkey, Mouse, Rabbit, Rat
Alternative Name : Fms-related tyrosine kinase 3 ligand, Flt3L

Description

Source: **E.coli** Flt3-Ligand is a growth factor that regulates proliferation of early hematopoietic cells. Flt3-Ligand binds to cells expressing the tyrosine kinase receptor Flt3. Flt3-Ligand, by itself does not stimulate proliferation of early hematopoietic cells, but synergizes with other CSFs and interleukins to induce growth and differentiation. Unlike SCF, Flt3-Ligand exerts no activity on mast cells. Multiple isoforms of Flt3-Ligand have been identified. The predominant biologically active form is anchored to the cell surface as the extracellular domain of a transmembrane protein (209 a.a.). The membrane-bound isoform can be proteolytically cleaved to generate a biologically active soluble isoform. Recombinant Human Flt3-Ligand is a soluble 17.6 kDa protein consisting of 155 amino acid residues.

Product Info

Amount : 2 µg / 10 µg
Purification : Purity: $\geq 98\%$ by SDS-PAGE gel and HPLC analyses.
Content : This recombinant protein is supplied in lyophilized form.
Amino Acid : TQDCSFQHSP ISSDFAVKIR ELSDYLLQDY PVTVASNLQD EELCGGLWRL VLAQRWMERL KTVAGSKMQG
LLERVNTEIH FVTKCAFQPP PSCLRFVQTN ISRLQETSE QLVALKPWIT RQNFSRCLEL QCQPDSSTLP
PPWSPRPLEA TAPTA

Application Note

The ED_{50} was determined by the dose-dependent stimulation of the proliferation of human AML5 cells is ≤ 1.0 ng/ml, corresponding to a specific activity of $\geq 1 \times 10^6$ units/mg.