# **∗** abeomics

## 32-20151: Recombinant Human GM-CSF(Discontinued)

Reactivity : Chicken, Human, Mouse, Pig

Alternative Name : Granulocyte-Macrophage Colony-Stimulating Factor, CSF-2, MGI-1GM, Pluripoietin-Alpha

### Description

**Source:E.coli**GM-CSF is a hematopoietic growth factor that stimulates the development of neutrophils and macrophages, and promotes the proliferation and development of early erythroid megakaryocytic and eosinophilic progenitor cells. It is produced in endothelial cells, monocytes, fibroblasts and T-lymphocytes. GM-CSF inhibits neutrophil migration and enhances the functional activity of the mature end-cells. The human and murine molecules are species-specific and exhibit no cross-species reactivity. Recombinant Human GM-CSF is a 14.6 kDa globular protein consisting of 128 amino acids, containing two intramolecular disulfide bonds and two potential N-linked glycosylation sites.

#### **Product Info**

 Amount :
 5 μg / 20 μg

 Purification :
 Purity: >= 98% by SDS-PAGE gel and HPLC analyses.

 Content :
 This recombinant protein is supplied in lyophilized form.

 Amino Acid :
 MAPARSPSPS TQPWEHVNAI QEARRLLNLS RDTAAEMNET VEVISEMFDL QEPTCLQTRL ELYKQGLRGS LTKLKGPLTM MASHYKQHCP PTPETSCATQ IITFESFKEN LKDFLLVIPF DCWEPVQE

### **Application Note**

The  $\tilde{A} \equiv \hat{A} \equiv D_{50} \tilde{A} \equiv \hat{A}$  as determined by the dose-dependent stimulation of the proliferation of human TF-1 cells is <= 0.1 ng/ml, corresponding to a specific activity of >= 1 x 10<sup>7</sup> units/mg.  $\tilde{A} \equiv \hat{A}$