

## 32-20215: Recombinant Human IL-3(Discontinued)

**Reactivity :** Human, Monkey, Mouse

**Alternative Name :** MCGF (Mast cell growth factor), Multi-CSF, HCGF, P-cell stimulation factor

### Description

**Source:** E.coli Description: IL-3 is a hematopoietic growth factor that promotes the survival, differentiation and proliferation of committed progenitor cells of the megakaryocyte, granulocyte-macrophage, erythroid, eosinophil, basophil and mast cell lineages. Produced by T cells, mast cells and eosinophils, IL-3 enhances thrombopoiesis, phagocytosis, and antibody-mediated cellular cytotoxicity. Its ability to activate monocytes suggests that IL-3 may have additional immunoregulatory roles. Many of the IL-3 activities depend upon co-stimulation with other cytokines. IL-3 is a species-specific, variably glycosylated cytokine. Recombinant Human IL-3 is a 15.0 kDa globular protein containing 133 amino acid residues.

### Product Info

**Amount :** 2 µg / 10 µg

**Purification :** Purity:  $\geq 98\%$  by SDS-PAGE gel and HPLC analyses.

**Content :** This recombinant protein is supplied in lyophilized form.

**Amino Acid :** APMTQTSLK TSWVNCNMI DEITHLKQP PLPLDFNNL NGEDQDILME NNLRRPNLEA FNRAVKSLQN  
ASAIESILKN LLPLCLPLATA APTRHPIHIK DGDWNEFRRK LTFYKLTLEN AQAQQTLSL AIF

### Application Note

The  $ED_{50}$  as determined by the dose-dependent stimulation of the proliferation of human TF-1 cells is  $\leq 0.1$  ng/ml, corresponding to a specific activity of  $\geq 1 \times 10^7$  units/mg.