

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

32-20216: Animal-Free Recombinant Human IL-3(Discontinued)

Reactivity: Human, Monkey, Mouse

Alternative Name: MCGF (Mast cell growth factor), Multi-CSF, HCGF, P-cell stimulation factor

Description

Source:E.coliIL-3 is a hematopoietic growth factor that promotes the survival, differentiation and proliferation of committed progenitor cells of the megakaryocyte, granulocyte-macrophage, erythroid, eosinophil, basophil and mast cell lineages. Produced by T cells, mast cells and eosinophils, IL-3 enhances thrombopoiesis, phagocytosis, and antibody-mediated cellular cytotoxicity. Its ability to activate monocytes s µggests that IL-3 may have additional immunoregulatory roles. Many of the IL-3 activities depend upon co-stimulation with other cytokines. IL-3 is a species-specific, variably glycosylated cytokine. Recombinant Human IL-3 is a 15.0 kDa globular protein containing 133 amino acid residues.

Product Info

Amount: $2 \mu g / 10 \mu g$

Purification : Purity: >= 98% by SDS-PAGE gel and HPLC analyses. **Content :** This recombinant protein is supplied in lyophilized form.

Amino Acid: APMTQTTSLK TSWVNCSNMI DEIITHLKQP PLPLLDFNNL NGEDQDILME NNLRRPNLEA FNRAVKSLQN

ASAIESILKN LLPCLPLATA APTRHPIHIK DGDWNEFRRK LTFYLKTLEN AQAQQTTLSL AIF

Application Note

TheÃ \square ED₅₀Ã \square was determined by the dose-dependent stimulation of the proliferation of human TF-1 cells is <= 0.1 ng/ml, corresponding to a specific activity of >= 1 x 10⁷units/mg.