

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

## 32-20337: Animal-Free Recombinant Human IL-4(Discontinued)

**Reactivity:** Human, Mouse

Alternative Name: BCGF, BCDF, B cell stimulating factor (BSF-1)

## **Description**

**Source:E.coli**IL-4 is a pleiotropic cytokine that regulates diverse T and B cell responses including cell proliferation, survival and gene expression. Produced by mast cells, T cells and bone marrow stromal cells, IL-4 regulates the differentiation of naive CD4+ T cells into helper Th2 cells, characterized by their cytokine-secretion profile that includes secretion of IL-4, IL-5, IL-6, IL-10, and IL-13, which favor a humoral immune response. Another dominant function of IL-4 is the regulation of immunoglobulin class switching to the IgG1 and IgE isotypes. Excessive IL-4 production by Th2 cells has been associated with elevated IgE production and allergy. Recombinant Human IL-4 is a 15.1 kDa globular protein containing 130 amino acid residues.

## **Product Info**

Amount:  $5 \mu g / 20 \mu g$ 

**Purification:** Purity: >= 98% by SDS-PAGE gel and HPLC analyses. **Content:** This recombinant protein is supplied in lyophilized form.

Amino Acid: MHKCDITLQE IIKTLNSLTE QKTLCTELTV TDIFAASKNT TEKETFCRAA TVLRQFYSHH EKDTRCLGAT

AQQFHRHKQL IRFLKRLDRN LWGLAGLNSC PVKEANQSTL ENFLERLKTI MREKYSKCSS

## **Application Note**

TheÃ $\square$  ED $_{50}$ Ã $\square$  was determined by the dose-dependent stimulation of the proliferation of human TF-1 cells is <= 0.2 ng/ml, corresponding to a specific activity of >= 5 x  $10^6$ Ã $\square$  units/mg.