w abeomics

32-20346: Animal-Free Recombinant Human IL-6(Discontinued)

Reactivity : Human, Monkey, Mouse, Rat

Alternative Name : 26 kDa protein, IFN-Beta2, B cell differentiation factor (BCDF), BSF-2, HPGF, HSF, MGI-2

Description

Source:E.coliIL-6 is a pleiotropic cytokine that plays an important role in host defense by regulating immune and inflammatory responses. Produced by T cells, monocytes, fibroblasts, endothelial cells and keratinocytes, IL-6 has diverse biological functions. It stimulates B cell differentiation and antibody production, synergizes with IL-3 in megakaryocyte development and platelet production, induces expression of hepatic acute-phase proteins, and regulates bone metabolism. IL-6 signals through the IL-6 receptor system that consists of two chains, IL-6RAlpha and gp130. Murine IL-6 is inactive on human cells, while both human and murine are equally active on murine cells. Recombinant Human IL-6 is a 20.9 kDa protein containing 184 amino acid residues.

Product Info

 Amount :
 5 μg / 20 μg

 Purification :
 Purity: >= 98% by SDS-PAGE gel and HPLC analyses.

 Content :
 This recombinant protein is supplied in lyophilized form.

 Amino Acid :
 PVPPGEDSKD VAAPHRQPLT SSERIDKQIR YILDGISALR KETCNKSNMC ESSKEALAEN NLNLPKMAEK DGCFQSGFNE ETCLVKIITG LLEFEVYLEY LQNRFESSEE QARAVQMSTK VLIQFLQKKA KNLDAITTPD PTTNASLLTK LQAQNQWLQD MTTHLILRSF KEFLQSSLRA LRQM

Application Note

The \tilde{A} \square Å ED₅₀Å \square Å was determined by the dose-dependent stimulation of the proliferation of the IL-6 dependent murine 7TD1 cells is <= 0.1 ng/ml, corresponding to a specific activity of >= 1 x 10⁷Å \square Å units/mg.