

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

44-1099: Anti-p27 Monoclonal Antibody (Clone:IHC027)(Discontinued)

Clonality: Monoclonal **Clone Name:** IHC027 Application: IHC Reactivity: Human Gene: CDKN1B Gene ID: 1027 **Uniprot ID:** P46527 Format: **Purified**

Alternative Name: KIP1, Cyclin-dependent kinase inhibitor 1B, p27Kip1

Description

p27, also known as p27Kip1, is a cyclin-dependent kinase inhibitor that binds to and inhibits cyclin-dependent kinases, thereby regulating progression from G1 to S phase. Decreased expression of p27 is linked to poor prognosis in renal-cell carcinoma, colon carcinoma, small breast carcinomas, non-small-cell lung carcinoma, hepatocellular carcinoma, multiple myeloma, lymph node metastases in papillary carcinoma of the thyroid, and is associated with a more aggressive phenotype of carcinoma in the cervix.

Product Info

Amount: 0.1 ml / 1 ml

Purification : Protein A/G Chromatography

Storage condition : Store at 2°C - 8°C.

Application Note

Recommended dilutions: Immunohistochemical analysis: 1:100 - 1:200. However, this need to be optimized based on the research applications.




Figure 1: Immunohistochemical analysis of p27 (IHC027) on Lymph Node