

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

37-1064: Human CD34 Recombinant Protein (Fc Tag)(Discontinued)

Reactivity: Human Alternative Name: none

Description

Source: HEK293 Cells

Cluster of Differentiation 34 (CD34) is a member of a family of single-pass transmembrane sialomucin proteins, and may function as a cell-cell adhesion factor. CD34 protein is selectively expressed on hematopoietic progenitor cells and the small vessel endothelium of a variety of tissues. It has been widely used as a stem and progenitor cell marker, and clinical CD34+ stem cell transplantation (CD34+SCT) has been performed for tumor purging. CD34 monoclonal antibodies are widely used to identify and isolate hemopoietic progenitors and to classify acute and chronic leukemias.

Product Info

Amount: Human CD34 Recombinant Protein (Fc Tag)(Discontinued) / 50 µg

Purification: > (67.1+28.7) % as determined by SDS-PAGE

Formulation Lyophilized from sterile PBS, pH 7.4

Content: Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as protectants before

lyophilization.

Storage condition : Store it under sterile conditions at -20°C to -80°C. It is recommended that the protein be

aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.

Amino Acid: Met1-Thr290

Application Note

Measured by the ability of the immobilized protein to support the adhesion of the HUVEC human umbilical vein endothelial cell line. When 4 x 10E4 cells/well are added to human CD34 coated plates (0.8 μ g/ml, 100 μ L/well), approximately >40 % will adhere after one hour at 37 °C.

Endotoxin :< 1.0 EU per μg of the protein as determined by the LAL method




Fig 1: Human CD34 Recombinant Protein (Fc Tag)