

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

37-1077: Human CD31 / PECAM1 Recombinant Protein (His Tag)(Discontinued)

Reactivity: Human

Alternative Name: CD31 Protein, CD31/EndoCAM Protein, endoCAM Protein, GPIIA' Protein, PECA1 Protein, PECAM-1

Protein,

Description

Source: HEK293 Cells

The Cluster of Differentiation 31 (CD31) adhesion molecule, also known as platelet-endothelial cell adhesion molecule-1 (PECAM-1), is the only known member of the CAM family on platelets. CD31 protein is a 13-kDa transmembrane glycoprotein expressed by endothelial cells, platelets, monocytes, neutrophils, and certain T cell subsets. CD31 protein is also expressed in certain tumors, including epithelioid hemangioendothelioma, other vascular tumors, and histiocytic malignancies. CD31 plays a key role in removing aged neutrophils and tissue regeneration. CD31 protein mediates the homotypic or heterotypic cell adhesion by binding to itself or the leukocyte integrin alphavbeta3, and thus plays a role in neutrophil recruitment in inflammatory responses, transendothelial migration of leukocytes, as well as in cardiovascular development.

Product Info

Amount: Human CD31 / PECAM1 Recombinant Protein (His Tag)(Discontinued) / 200 µg

Purification: > 97 % as determined by SDS-PAGE

Formulation Lyophilized from sterile PBS, pH 7.4

Content: Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as protectants before

lyophilization.

Storage condition : Store it under sterile conditions at -20°C to -80°C. It is recommended that the protein be

aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.

Amino Acid: Met1-Lys601

Application Note

Measured by the ability of the immobilized protein to support the adhesion of Jurkat human acute T cell leukemia cells. When 8×104 cells/well are added to CD31-His coated plates ($5\mu g/mL$, $100\ \mu L/well$) in the presence of $10\ \mu g/mL$ PHA,approximately >70% will adhere after 30 minutes at $37^{\circ}C$.

Endotoxin :< 1.0 EU per μg of the protein as determined by the LAL method




Fig 1: Human CD31 / PECAM1 Recombinant Protein (His Tag)