

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

37-1223: Human PD1 / PDCD1 Recombinant Protein (His & Fc Tag)(Discontinued)

Reactivity: Human

Alternative Name: CD279 Protein, hPD-1 Protein, hPD-I Protein, hSLE1 Protein, PD-1 Protein, PD1 Protein, SLEB2 Protein,

Description

Source: HEK293 Cells

Programmed cell death 1, also known as PDCD1, is a type I transmembrane glycoprotein, and is an immunoreceptor belonging to the CD28/CTLA-4 family negatively regulates antigen receptor signaling by recruiting protein tyrosine phosphatase, SHP-2 upon interacting with either of two ligands, PD-L1 or PD-L2. PD1 inhibits the T-cell proliferation and production of related cytokines including IL-1, IL-4, IL-1 and IFN-gamma by suppressing the activation and transduction of PI3K/AKT pathway. In addition, coligation of PD1 inhibits BCR-mediating signal by dephosphorylating key signal transducer. PD1 has been suggested to be involved in lymphocyte clonal selection and peripheral tolerance, and thus contributes to the prevention of autoimmune diseases. Furthermore, PD1 is shown to be a regulator of virus-specific CD8+ T cell survival in HIV infection. As a cell surface molecule, PDCD1 regulates the adaptive immune response. Engagement of PD-1 by its ligands PD-L1 or PD-L2 transduces a signal that inhibits T-cell proliferation, cytokine production, and cytolytic function. Cancer Immunotherapy Co-inhibitory Immune Checkpoint Targets Immune Checkpoint Immune Checkpoint Blockade: Blocking Antibodi Immune Checkpoint Blockade: PD1 / PDCD1 / CD2 Immune Checkpoint Detection: Antibodies Immune Checkpoint Detection: WB Antibodies Immune Checkpoint Proteins Immune Checkpoint PD1 / PDCD1 / CD279 Immune Checkpoint Protein Targeted Therapy

Product Info

Amount: Human PD1 / PDCD1 Recombinant Protein (His & Fc Tag)(Discontinued) / 100 µg

Purification: > 97 % as determined by SDS-PAGE

Formulation Lyophilized from sterile PBS, pH 7.4

Content: Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as protectants before

lyophilization.

Storage condition : Store it under sterile conditions at -20°C to -80°C. It is recommended that the protein be

aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.

Amino Acid: Met1-Gln167

Application Note

Measured by its binding ability in a functional ELISA. Immobilized recombinant human PD-L2 at 1 $\tilde{A} \square \hat{A} \mu g/ml$ (100ul/well) can bind human PD1 / Fc chimera with a linear range of 7.8-1000 ng/ml .

Endotoxin :< 1.0 EU per ̸µg of the protein as determined by the LAL method




Fig 1: Human PD1 / PDCD1 Recombinant Protein (His & Fc Tag)