

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

37-1305: Human FSTL5 Recombinant Protein (Fc Tag)(Discontinued)

Reactivity: Human

Alternative Name: KIAA1263 Protein,

Description

Source: HEK293 Cells

FSTL5 may have molecular function (calcium ion binding) and to localize in various compartments (cytoplasm, extracellular space, extracellular region). FSTL5 expression denoted a dismal prognosis both within and across medulloblastoma subgroups. FSTL5 gene is well expressed, 1. times the average gene in this release. The sequence of this gene is defined by 12 GenBank accessions from 113 cDNA clones, some from brain, cerebellum, eye, melanotic melanoma, skin, amygdala, breast and 24 other tissues. FSTL5 gene contains 27 distinct introns. The addition of FSTL5 immunohistochemistry to existing molecular stratification schemes constitutes a reliable and cost-effective tool for prognostication in future clinical trials of medulloblastoma.

Product Info

Amount: Human FSTL5 Recombinant Protein (Fc Tag)(Discontinued) / 100 µg

Purification: > 85 % as determined by SDS-PAGE

Formulation Lyophilized from sterile PBS, pH 7.4.

Content : Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as protectants before

lyophilization.

Storage condition:

Storage condition:

Store it under sterile conditions at -20°C to -80°C. It is recommended that the protein be

aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.

Amino Acid: Met1-Ala847

Application Note

Endotoxin :< 1.0 EU per Ã\(\hat{A}\)µg of the protein as determined by the LAL method




Fig 1: Human FSTL5 Recombinant Protein (Fc Tag)