

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

## 10-4089-F: Monoclonal Antibody to CD3 (Clone: OKT3) FITC Conjugated

Clonality: Monoclonal

**Clone Name:** ОКТ3 **FACS** Application: Reactivity: Human Conjugate: FITC Gene: CD3D Gene ID: 915 **Uniprot ID:** P04234 Format: **Purified** CD3D,T3D **Alternative Name:** 

Isotype: Mouse IgG2a Kappa

Immunogen Information: Human PBMCs were used as immunogen for the CD3 antibody.

## **Description**

CD3D is one of the several invariant chains that the variable chains of TCR: Alpha beta or Gamma delta TCR contains, and which support surface TCR expression and transduce the TCR signal. CD3D, along with four other CD3 subunits, binds either TCR alpha/beta or TCR gamma/delta to form the TCR/CD3 complex on the surface of T-cells. Defects in this gene are a cause of severe combined immunodeficiency autosomal recessive T-cell-negative/B-cell-positive/NK-cell-positive (SCIDBNK).

## **Product Info**

**Amount :**  $25 \mu g / 100 \mu g$ 

**Purification:** Protein G Chromatography

**Content:** 0.2 mg/ml in Tris buffer containing 0.05% Azide **Storage condition:** Store the antibody at 4°C, stable for 6 months.

## **Application Note**

FACS analysis: 0.5 μg/10<sup>6</sup> cells




Fig-1: Cell surface flow analysis of hCD3 in PBMC using 0.5  $\mu$ g/10^6 cells. Green represents isotype control (ABEOMICS); red represents FITC conjugated anti-hCD3 antibody (10-4089F).