

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

36-2113: Anti-CD21 (Mature B-Cell & Follicular Dendritic Cell Marker) Monoclonal Antibody(Clone: rCR2/1952)

Clonality: Monoclonal **Clone Name:** rCR2/1952 Application: IHC Reactivity: Human Gene: CR2 Gene ID: 1380

CD21; Complement C3d receptor (C3DR); Complement Receptor type 2 (CR2); CVID7; EBV **Alternative Name:**

receptor; EBV-R; Epstein-Barr virus receptor; EVBR; SLEB9

Isotype: Mouse IgG1, kappa

Recombinant fragment (around aa 44-196) of human CR2 (CD21) protein (exact sequence is Immunogen Information:

proprietary)

P20023

Description

Uniprot ID:

Recognizes a protein of 140kDa, which is identified as the complement receptor 2(CR2)/CD21. This protein is expressed strongly on mature B cells, follicular dendritic cells and weakly on immature thymocytes and T lymphocytes. In B-cell ontogeny, CD21 appears after the pre-B-stage, is maintained during peripheral B-cell development and is lost upon terminal differentiation into plasma cells. CD21 expression is also gradually lost after stimulation of B cells in vitro.CD21 functions as receptor for C3d, C3dg and iC3b Complement components, for EBV and for IFNalpha.CD21 binds to CD23 and associates with CD19, CD81 and Leu13 to form a large signal-transduction complex involved in B cell activation.

Product Info

Amount: $20 \mu g / 100 \mu g$

200 µg/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS Content:

with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0 mg/ml.

Antibody with azide - store at 2 to 8°C. Antibody without azide - store at -20 to -80°C. Antibody Storage condition:

is stable for 24 months. Non-hazardous.

Application Note

Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 min at RT),(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95°C followed by cooling at RT for 20 minutes);




Fig. 1: Formalin-fixed, paraffin-embedded human spleen stained with CD21 Recombinant Mouse Monoclonal Antibody (rCR2/1952).



9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com




Fig. 2: Formalin-fixed, paraffin-embedded human spleen stained with CD21 Recombinant Mouse Monoclonal Antibody (rCR2/1952).




Fig. 3: SDS-PAGE Analysis Purified CD21 Recombinant Mouse Monoclonal Antibody (rCR2/1952). Confirmation of Integrity and Purity of Antibody.