

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

## 36-2525: Anti-Interferon gamma (IFNG) Monoclonal Antibody(Clone: G-23)

Clonality: Monoclonal

Clone Name: G-23
Application: FACS,IF
Reactivity: Human
Gene: IFNG
Gene ID: 3458
Uniprot ID: P01579

AMCF1; Beta thromboglobulin like protein; CXC chemokine ligand 8 (CXCL8); Emoctakin; Granulocyte chemotactic protein 1 (GCP1); IFG; IFI; IFN Immune; IFN-gamma (IFNG); Interleukin 8; Interferon gamma; LECT; LUCT; Lymphocyte derived neutrophil activating

Alternative Name: factor; LYNAP; Macrophage Activating Factor (MAF); Monocyte derived neutrophil activating

protein (MONAP); Monocyte derived neutrophil chemotactic factor (MDNCF); Neutrophil activating factor (NAF); Neutrophil activating peptide 1 (NAP1); Neutrophil activating protein 1

(NAP1); SCYB8; T cell chemotactic factor; T Cell Interferon; Type II Interferon

**Isotype:** Mouse IgG1, kappa

Immunogen Information: Purified recombinant human IFN-gamma

## **Description**

Interferon (IFN)- translated precursor is 166 amino acids, including the 23 amino acid secretory sequence. Multiple forms exist due to variable glycosylation and under non-denaturing conditions due to dimers and tetramers.

## **Product Info**

**Amount:** 20 μg / 100 μg

Content: 200 µg/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS

with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.

**Storage condition :** Antibody with azide - store at 2 to 8°C. Antibody without azide - store at -20 to -80°C. Antibody

is stable for 24 months. Non-hazardous.

## **Application Note**

Flow Cytometry (1-2ug/million cells); Immunofluorescence (1-2ug/ml);




Fig. 1: SDS-PAGE Analysis Purified IFNG Mouse Monoclonal Antibody (G-23). Confirmation of Purity and Integrity of Antibody.