

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

36-2526: Anti-Interferon gamma (IFNG) Monoclonal Antibody (Clone: SPM408)

Clonality: Monoclonal **Clone Name:** SPM408 Application: FACS.IF Reactivity: Human Gene: **IFNG** Gene ID: 3458 **Uniprot ID:** P01579

> AMCF1; Beta thromboglobulin like protein; CXC chemokine ligand 8 (CXCL8); Emoctakin; Granulocyte chemotactic protein 1 (GCP1); IFG; IFI; IFN Immune; IFN-gamma (IFNG); Interleukin 8; Interferon gamma; LECT; LUCT; Lymphocyte derived neutrophil activating

Alternative Name: factor; LYNAP; Macrophage Activating Factor (MAF); Monocyte derived neutrophil activating

protein (MONAP); Monocyte derived neutrophil chemotactic factor (MDNCF); Neutrophil activating factor (NAF); Neutrophil activating peptide 1 (NAP1); Neutrophil activating protein 1

(NAP1); SCYB8; T cell chemotactic factor; T Cell Interferon; Type II Interferon

Isotype: Mouse IgG1, kappa

Immunogen Information: Purified recombinant human IFN-gamma

Description

Interferon (IFN)- translated precursor is 166 amino acids, including the 23 amino acid secretory sequence. Multiple forms exist due to variable glycosylation and under non-denaturing conditions due to dimers and tetramers.

Product Info

Amount: $20 \mu g / 100 \mu g$

200 µg/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS Content:

with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.

Antibody with azide - store at 2 to 8°C. Antibody without azide - store at -20 to -80°C. Antibody Storage condition:

is stable for 24 months. Non-hazardous.

Application Note

Flow Cytometry (1-2ug/million cells); Immunofluorescence (1-2ug/ml);