

36-2705: Anti-DNA Ligase 1 Monoclonal Antibody(Clone: 1A9)

Clonality :	Monoclonal
Clone Name :	1A9
Application :	WB,ELISA,IP
Reactivity :	Human, Mouse, Rat
Gene :	LIG1
Gene ID :	3978
Uniprot ID :	P18858
Alternative Name :	DNA ligase 1; DNA ligase I; DNLI1_HUMAN; LIG 1; lig1; Ligase I DNA ATP dependent; MGC117397; MGC130025; Polydeoxyribonucleotide synthase [ATP] 1
Isotype :	Mouse IgG1, kappa
Immunogen Information :	Full-length native cow LIG1 protein

Description

DNA Ligase I maintains the major DNA Ligase activity in proliferating cells by joining Okazaki fragments during lagging strand DNA replication. Human DNA Ligase I also has an essential role in DNA repair pathways, where it catalyzes the formation of phosphodiester bonds between adjacent 5' phosphoryl and 3' hydroxy termini at single breaks in duplex DNA molecules. In addition, DNA Ligase I plays a role in sealing nicks during excision repair. Similar to other DNA ligases, DNA Ligase I is built around a common catalytic core. Increased levels of DNA Ligase I are found in human tumors, as compared to benign tissues, as well as in peripheral blood lymphocytes. Furthermore, DNA Ligase I antisense ODNs syndrome (BS). Individuals with BS either have decreased levels of abnormally thermolabile DNA Ligase I or possess a dimeric form of this enzyme.

Product Info

Amount :	20 µg / 100 µg
Content :	200 µg/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.
Storage condition :	Antibody with azide - store at 2 to 8°C. Antibody without azide - store at -20 to -80°C. Antibody is stable for 24 months. Non-hazardous.

Application Note

Western Blot (1-2ug/ml); ELISA; Immunoprecipitation;