

36-3410: Anti-TCL1 (T-Cell Marker) Monoclonal Antibody(Clone: TCL1/2747R)

Clonality :	Monoclonal
Clone Name :	TCL1/2747R
Application :	IHC
Reactivity :	Human
Gene :	TCL1A
Gene ID :	10232
Uniprot ID :	P56279
Alternative Name :	TCL1A; Lymphoma/leukemia, T-cell; Oncogene TCL1; P14 TCL1; T cell leukemia 1; T cell lymphoma 1; T cell lymphoma 1A;T-cell leukemia/lymphoma 1A; TCL1; TCL1A
lsotype :	Rabbit IgG
Immunogen Information	: Recombinant human TCL1 protein fragment (around aa 2-109) (exact sequence is proprietary)

Description

T-cell leukemia/Lymphoma Protein 1A (TCL-1A), also known as p14TCL1 is a product of the TCL1 gene that is involved in Tcell prolymphocytic leukemia (TPLL). T-PLL is a rare form of mature T-cell leukemia, which is consistently associated with chromosomal rearrangements characterized by the juxtaposition of the TCRA locus on chromosome 14q11 and the TCL1A gene on 14q32.13. TCL1 is overexpressed in Burkitt lymphoma, the majority of AIDS-related non-Hodgkin lymphomadesignated immunoblastic plasmacytoid lymphoma, lymphoblastic lymphoma, chronic lymphocytic leukemia, mantle cell lymphoma, follicular lymphoma, diffuse large B-cell lymphoma, and primary cutaneous B-cell lymphoma.

Product Info

Amount :	20 μg / 100 μg
Content :	200 μg/ml of Ab Purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.
Storage condition :	Antibody with azide - store at 2 to 8°C. Antibody without azide - store at -20 to -80°C. Antibody is stable for 24 months. Non-hazardous.

Application Note

Immunohistochemistry (Formalin-fixed) (1-2ug/ml for 30 minutes at RT)(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95°C followed by cooling at RT for 20 minutes);




Fig. 1: Formalin-fixed, paraffin-embedded human Tonsil stained with TCL1 Recombinant Rabbit Monoclonal Antibody (TCL1/2747R).

∗ abeomics

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982 Email: info@abeomics.com




Fig. 2: Formalin-fixed, paraffin-embedded human Tonsil stained with TCL1 Recombinant Rabbit Monoclonal Antibody (TCL1/2747R).

Fig. 3: SDS-PAGE Analysis Purified TCL1 Recombinant Rabbit Monoclonal Antibody (TCL1/2747R). Confirmation of Purity and Integrity of Antibody