

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

32-190028: Recombinant SARS-CoV-2 Spike RBD Protein, mFc tag

Application : Functional Assay **Gene ID :** 43740568

Alternative Name: S1-RBD protein; NCP-CoV RBD Protein; novel coronavirus RBD Protein; 2019-nCoV RBD Protein; S

glycoprotein Subunit1 RBD Protein

Description

Source: HEK293 cells.

Recombinant 2019-nCoV Spike RBD Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Arg319-Phe541) of 2019-ncov Spike RBD (Accession #YP_009724390.1) fused with a mFc tag at the C-terminus.

Product Info

Amount: $100 \mu g$

Purification: >95% by SDS-PAGE.

Content: Lyophilized from a 0.22 νm filtered solution of PBS, pH 7.4. or Supplied as a 0.22 νm filtered

solution in PBS, pH 7.4.

Store the lyophilized protein at -20°C to -80 °C for long term. After reconstitution, the protein solution is stable at -20 °C for 3 months, at 2-8 °C for up to 1 week. This product is stable at

Storage condition : $\hat{a} \% = -70^{\circ} \text{C for up to 6 months from the date of receipt. For optimal storage, aliquot into smaller}$

quantities after centrifugation and store at recommended temperature.

Amino Acid: The target protein is expressed with sequence (Arg319-Phe541) of 2019-ncov Spike RBD

(Accession #YP_009724390.1) fused with a mFc tag at the C-terminus.

Application Note

Measured by its binding ability in a functional ELISA. Immobilized Recombinant Human ACE2 Protein at $2\mu g/mL$ (100 $\mu L/well$) can bind Recombinant 2019-nCoV Spike RBD-mFc Protein is 2.58 ng/mL.

Endotoxin: < 0.1 EU/µg of the protein by LAL method.




Fig 1 : Recombinant 2019-nCoV Spike RBD Protein with mFc tag was determined by SDS-PAGE with Coomassie Blue, showing a band at 60 kDa.



9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com




Fig 2 :Immobilized Human ACE2 on COOH Chip, can bind 2019-nCoV Spike S1 with an affinity constant of 6.58 nM as determined in a SPR assay (Nicoya OpenSPR).




Fig 3 :Immobilized Recombinant Human ACE2 Protein at $2\hat{1}\frac{1}{4}$ g/mL (100 $\hat{1}\frac{1}{4}$ L/well) can bind Recombinant 2019-nCoV Spike RBD-mFc Protein $\hat{1}\frac{1}{4}$ Œthe EC50 of Recombinant 2019-nCoV Spike RBD-mFc Protein is 2.58 ng/mL.