

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

21-1013: SARS-CoV-2 Spike S1 Mutant Sampler Set

Application: ELISA

Description

This SARS-CoV-2 Spike S1 Mutant Sampler Set contains: wild type Spike S1 protein (Cat. No. <u>21-1008</u>), D614G mutant (Cat. No. <u>21-1009</u>), N439K mutant (Cat. No. <u>21-1012</u>), K417N/E484K/N501Y (South African) mutant (Cat. No. <u>21-1017</u>), and S13I/W152C/L452R (Southern California) mutant (Cat. No. <u>21-1018</u>) recombinant proteins expressed in CHO-K1.

The spike protein S1 subunit of Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2) attaches the virus to its cellular receptor, angiotensin-converting enzyme 2 (ACE2). A defined receptor-binding domain (RBD) on S1 mediates this interaction. The S protein plays key parts in the induction of neutralizing antibodies and T-cell responses, as well as protective immunity.

Product Info

Amount : 25 μg X 5

Purification: >95% by SDS-PAGE. **Content:** PBS and 10% Glycerol.

Storage condition : SARS-CoV-2 Spike S1 Mutant Sampler Set is shipped on ice packs. Upon arrival, store at -20°C.

Do not freeze-thaw multiple times.

Amino Acid: The target proteins are expressed in CHO-K1 cells with sequence (AA 14-683) of SARS-

CoV-2/COVID-19 Spike S1 fused with a 10xHis tag in C-Terminal.




Figure-1: Recombinant SARS-CoV-2 Spike S1 wild type (WT), N439K, D614G, K417N/E484K/N501Y and S13I/W152C/L452R mutant proteins were run on a 4-20% SDS-PAGE gel followed by Coomassie blue staining.




Figure-2: Comparative binding of Spike S1 variants to sACE2: Wells of a 96-well microtiter plate were coated with 100 ng in duplicates each of S1-WT (Cat# 21-1008), S1-N439K (Cat# 21-1012), S1-D614G (Cat# 21-1009), S1-South Africa (Cat# 21- 1017), and S1-Southern California (Cat# 21-1018). Binding to sACE2 was determined by adding different concentrations of biotinylated-sACE2 (Cat# 21-1006).