

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

32-9189: Recombinant Cynomolgus B7-2/CD86 (C-His)

Alternative Name: T-lymphocyte activation antigen CD86 isoform 1; Activation B7-2 antigen; CD86

Description

Source: Human 293 Cells;

T-lymphocyte activation antigen CD86 (B7-2) is a type I membrane protein that belongs to the B7 family. CD86 is highly expressed on activated antigen presenting cells. CD86 plays an essential role for T-lymphocyte proliferation and interleukin-2 production through binding CD28 or CTLA-4. It is also involved in the early events of T-cell activation and costimulation of naive T-cells, such as deciding between immunity and anergy that is made by T-cells within 24 hours after activation. Additionally, the CD86 participates innate immune responses by activating NF-kB-signaling pathway in macrophages. CD86 thus is predicted to be a promising candidate for immune therapy.

Product Info

Amount : 500 μg / 50 μg

Content: Lyophilized from a 0.2 um filtered solution of PBS,5% Trehalose, pH7.4.

Amino Acid: Recombinant Cynomolgus CD86 is produced by our Mammalian expression system and the

target gene encoding Tyr25-His239 is expressed with a 6His tag at the C-terminus.