

32-9537: Recombinant Rat Tumor Necrosis Factor/TNF-alpha

Alternative Name : Tumor Necrosis Factor; Cachectin; TNF-Alpha; Tumor Necrosis Factor Ligand Superfamily Member 2; TNF-a; Tumor Necrosis Factor; Membrane Form; Tumor Necrosis Factor; Soluble Form; Tnf; Tnfa; Tnfsf2

Description

Source : E. coli;

Tumor necrosis factor alpha (TNF-alpha, TNFSF2) is the prototypic ligand of the TNF superfamily. Rat TNF-alpha consists of a 35 amino acid (aa) cytoplasmic domain, a 21 aa transmembrane segment, and a 179 aa extracellular domain (ECD). Within the ECD, rat TNF-alpha shares 94% aa sequence identity with mouse. TNF-alpha is produced by a wide variety of immune, epithelial, endothelial, and tumor cells. TNF exists as a homotrimer and interacts with SPPL2B. TNF is mainly secreted by macrophages and can induce cell death of certain tumor cell lines. TNF is a key cytokine in the development of several inflammatory disorders. It contributes to the development of type 2 diabetes through its effects on insulin resistance and fatty acid metabolism.

Product Info

Amount : 500 µg / 50 µg

Content : Lyophilized from a 0.2 µm filtered solution of PBS, pH7.4.

Amino Acid : Recombinant Rat Tumor Necrosis Factor is produced by our E.coli expression system and the target gene encoding Leu80-Leu235 is expressed.