

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

## 32-9650: Recombinant Human CA125 (C-6His)

Alternative Name: CA125 ovarian cancer antigen; CA125; CA-125; CA125MUC-16; FLJ14303; MUC16; mucin 16, cell surface associated; mucin-16

## **Description**

Source: Human 293 Cells;

MUC16, also known as the CA125 antigen, is a mucin protein that may be found in type I transmembrane or secreted forms that are used monitor the progress of epithelial ovarian cancer therapy. MUC16 is over-expressed by tumor cells including ovarian and mesothelial cancers. The transmembrane form can adhere to mesothelin in the peritoneum, facilitating metastasis of ovarian cancer to the peritoneal cavity. MUC16 also binds galectin-1 on immune cells and enhances its expression on tumor cells. MUC16-expressing tumors adhere to NK cells, down-regulate CD16 and suppress NK response, which may promote immune evasion. MUC16 is also cyclically expressed in the endometrium and may contribute to immune privilege during pregnancy. In the eye, MUC16 and other mucins protect the cornea and keep it hydrated. It is altered on the conjunctival epithelium of patients with non-Sjogren dry eye syndrome.

## **Product Info**

**Amount :** 500 μg / 50 μg

Content: Lyophilized from a 0.2 um filtered solution of 50 mM Tris, 100 mM Glycine, pH 7.5.

Amino Acid: Recombinant Human Mucin-16 is produced by our Mammalian expression system and the target

gene encoding Gly12660-Met12923 is expressed with a 6His tag at the C-terminus.