w abeomics

32-6942: UCHL3 Mouse

- **Application :** Functional Assay
- Alternative Name : Ubiquitin carboxyl-terminal hydrolase isozyme L3, UCH-L3, UCHL3, Ubiquitin Carboxyl-Terminal Esterase L3, Ubiquitin thioesterase L3, Uchl3, Ubiquitin carboxyl-terminal esterase L3.

Description

Source: Sf9, Baculovirus cells.

Sterile Filtered clear solution.

Ubiquitin carboxyl-terminal hydrolase isozyme L3 belongs to a gene family whose products hydrolyze small C-terminal adducts of ubiquitin to produce the ubiquitin monomer. UCHL3 takes part in the regulation of neuronal development and spermatogenesis and is associated to neurodegenerative diseases. UCHL3 has a 54% homology to UCHL1.

UCHL3 Mouse Recombinant produced in Sf9 Baculovirus cells is a single, glycosylated polypeptide chain containing 238 amino acids (1-230) and having a molecular mass of 27.2kDa (Molecular size on SDS-PAGE will appear at approximately 28-40kDa).UCHL3 is fused to 8 amino acid His-Tag at C-terminus and purified by proprietary chromatographic techniques.

Product Info

Amount :	2 μg / 10 μg
Purification :	Greater than 90.0% as determined by SDS-PAGE.
Content :	UCHL3 protein solution (0.5mg/ml) containing Phosphate buffered saline (pH7.4) and 10% glycerol.
Storage condition :	Store at 4°C if entire vial will be used within 2-4 weeks. Store, frozen at -20°C for longer periods of time. For long term storage it is recommended to add a carrier protein (0.1% HSA or BSA).Avoid multiple freeze-thaw cycles.
Amino Acid :	MEGQRWLPLE ANPEVTNQFL KQLGLHPNWQ FVDVYGMEPE LLSMVPRPVC AVLLLFPITE KYEVFRTEEE EKIKSQGQDV TSSVYFMKQT ISNACGTIGL IHAIANNKDK MHFESGSTLK KFLEESVSMS PEERAKFLEN YDAIRVTHET SAHEGQTEAP SIDEKVDLHF IALVHVDGHL YELDGRKPFP INHGKTSDET LLEDAIEVCK KFMERDPDEL RFNAIALSAA LEHHHHHH.

Application Note

Specific activity is > 9,000 pmol/min/mg, and is defined as the amount of enzyme that hydrolysis 1.0 pmole of ubiquitin-AMC per minute at pH 7.5, at $37\tilde{A}$ \hat{A} °C.