

## 32-17027: Recombinant human CD155 protein with C-terminal mouse Fc and 6 $\times$ His tag

**Alternative Name :** PVR, FLJ25946, PVS, CD155, TAGE4, HVED, NECL5

### Description

Expression Host : HEK293

The protein has a predicted molecular mass of 62.2 kDa after removal of the signal peptide. The apparent molecular mass of CD155-mFc-His is approximately 95-130 kDa due to glycosylation.

The protein encoded by this gene is a transmembrane glycoprotein belonging to the immunoglobulin superfamily. The external domain mediates cell attachment to the extracellular matrix molecule vitronectin, while its intracellular domain interacts with the dynein light chain Tctex-1/DYNLT1. The gene is specific to the primate lineage, and serves as a cellular receptor for poliovirus in the first step of poliovirus replication. Multiple transcript variants encoding different isoforms have been found for this gene.

### Product Info

<b>Amount :</b>	50 $\mu$ g
<b>Purification :</b>	The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue staining.
<b>Content :</b>	Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8 % trehalose is added as protectants before lyophilization.
<b>Storage condition :</b>	Store at -80°C for 12 months (Avoid repeated freezing and thawing)




Figure 1. Human CD155 Protein, mFc-His Tag on SDS-PAGE under reducing condition.




Figure 2. ELISA plate pre-coated by 2  $\mu$ g/ml (100  $\mu$ l/well) Human CD155, mFc-His tagged protein can bind Human TIGIT, hFc tagged protein in a linear range of 1.95-125 ng/ml.