

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

32-17057: Recombinant human ACE2 protein with C-terminal mouse Fc tag

Alternative Name: ACE-2, ACEH, ACE2

Description

Expression Host: HEK293

The protein has a predicted molecular mass of 109.7 kDa after removal of the signal peptide.

The protein encoded by this gene belongs to the angiotensin-converting enzyme family of dipeptidyl carboxydipeptidases and has considerable homology to human angiotensin 1 converting enzyme. This secreted protein catalyzes the cleavage of angiotensin I into angiotensin 1-9, and angiotensin II into the vasodilator angiotensin 1-7. The organ- and cell-specific expression of this gene suggests that it may play a role in the regulation of cardiovascular and renal function, as well as fertility. In addition, the encoded protein is a functional receptor for the spike glycoprotein of the human coronaviruses SARS and HCoV-NL63.

Product Info

Amount: 50 μg

Purification:

The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue

staining.

Content: Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8 % trehalose is added as protectants

before lyophilization.

Storage condition: Store at -80°C for 12 months (Avoid repeated freezing and thawing)




Figure 1. Human ACE2 Protein, mFc Tag on SDS-PAGE under reducing condition.




Figure 2. ELISA plate pre-coated by 2 μ g/ml (100 μ l/well) S-RBD, hFc tagged protein can bind Human ACE2, mFc Tagged protein in a linear range of 0.976-39.35 ng/ml.