

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

32-17079: Recombinant human TNFRSF10B protein with C-terminal Mouse Fc tag

Alternative Name: TNFRSF10B,TRAILR2,TRAIL-R2,CD262,DR5,KILLER,TRICK2,ZTNFR9,TRICKB

Description

Expression Host: HEK293

The protein has a predicted molecular mass of 40.5 kDa after removal of the signal peptide.

The protein encoded by this gene is a member of the TNF-receptor superfamily, and contains an intracellular death domain. This receptor can be activated by tumor necrosis factor-related apoptosis inducing ligand (TNFSF10/TRAIL/APO-2L), and transduces an apoptosis signal. Studies with FADD-deficient mice suggested that FADD, a death domain containing adaptor protein, is required for the apoptosis mediated by this protein. Two transcript variants encoding different isoforms and one non-coding transcript have been found for this gene.

Product Info

Amount: 50 μg

Purification: The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue

staining.

Content: Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8 % trehalose is added as protectants

before lyophilization.

Storage condition: Store at -80°C for 12 months (Avoid repeated freezing and thawing)




Figure 1. Human TNFRSF10B Protein, mFc Tag on SDS-PAGE under reducing condition.




Figure 2. ELISA plate pre-coated by 2 μ g/ml (100 μ l/well) Human TNFRSF10B, mFc tagged protein can bind Anti-TNFRSF10B Neutralizing antibody in a linear range of 3.2-80 ng/ml.