

## 32-17278: Recombinant human CCR2 protein with C-terminal human Fc tag

**Alternative Name :** CC-CKR-2, CCR2A, CCR2B, CD192, CKR2, CKR2A, CKR2B, CMKBR2, MCP-1-R

### Description

Expression Host : HEK293

The protein has a predicted molecular mass of 40.15 kDa after removal of the signal peptide.

This gene encodes two isoforms of a receptor for monocyte chemoattractant protein-1, a chemokine which specifically mediates monocyte chemotaxis. Monocyte chemoattractant protein-1 is involved in monocyte infiltration in inflammatory diseases such as rheumatoid arthritis as well as in the inflammatory response against tumors. The receptors encoded by this gene mediate agonist-dependent calcium mobilization and inhibition of adenylyl cyclase. This gene is located in the chemokine receptor gene cluster region. Two alternatively spliced transcript variants are expressed by the gene.

### Product Info

|                            |   |
|----------------------------|---|
| <b>Amount :</b>            | 50 µg   |
| <b>Purification :</b>      | The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue staining.              |
| <b>Content :</b>           | Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8 % trehalose is added as protectants before lyophilization. |
| <b>Storage condition :</b> | Store at -80°C for 12 months (Avoid repeated freezing and thawing)  |