

30-2483: Anti-TNAP APC (Clone : W8B2B10)

Clonality :	Monoclonal
Clone Name :	W8B2B10
Application :	FACS
Reactivity :	Human
Conjugate :	APC
Gene :	ALPL
Gene ID :	249
Alternative Name :	Tissue Non-specific Alkaline Phosphatase, MSCA-1, liver/bone/kidney alkaline phosphatase,alkaline phosphatase, biomineralization associated
Isotype :	Mouse IgG1
Immunogen Information :	WERI-RB-1 retinoblastoma cell line

Description

Tissue non-specific alkaline phosphatase (TNAP), also known as liver/bone/kidney alkaline phosphatase, or MSCA-1 (mesenchymal stem cell antigen 1) is a selective marker for the prospective isolation of bone marrow-derived mesenchymal stem cells and mesenchymal stem-like cells. It is expressed at high levels in liver, bone, kidney, or endometrium, as well as on embryonic stem cells (ESCs). TNAP also plays a role in bone mineralization. Mutations in TNAP gene are associated with hypercalcemia and skeletal defects (hypophosphatasia).

Specificity : The mouse monoclonal antibody W8B2B10 recognizes TNAP (tissue non-specific alkaline phosphatase), an ectoenzyme expressed mainly on embryonic stem cells, liver, bone, and kidney cells. This antibody is suitable for characterization of bone marrow-derived MSCs, iPSCs, and ESCs.

Product Info

Amount :	0.1 mg
Purification :	The purified antibody is conjugated with allophycocyanin (APC) under optimum conditions. The conjugate is purified by size-exclusion chromatography.
Content :	0.1 mg/ml Formulation : Stabilizing phosphate buffered saline (PBS) solution containing 15 mM sodium azide
Storage condition :	Store in the dark at 2-8°C. Do not freeze. Avoid prolonged exposure to light.




Figure 1: Separation of TNAP positive HeLa cells (red-filled) from TNAP negative HeLa cells (black-dashed) in flow cytometry analysis (surface staining) of HeLa cellular suspension stained using anti-TNAP (W8B2B10) APC antibody




Figure 2: Flow cytometry surface staining patterns of HeLa cells stained using anti-TNAP (W8B2B10) APC antibody (concentration in sample 0.56 μ g/ml, left) or mouse IgG1 isotype control (MOPC-21) APC antibody