

12-8074: Anti-Human IL 12/23 (Briakinumab) - PE

| | |
|--------------------------------|--|
| Clonality : | Monoclonal |
| Clone Name : | ABT-874 |
| Application : | Functional Assay, FACS, IF |
| Reactivity : | Human |
| Alternative Name : | IL-12p40; Interleukin 12; Interleukin 23; IL12; IL23; IL-12; IL-23 |
| Isotype : | Human IgG1lambda |
| Immunogen Information : | This antibody was produced by phage display technology. |

Description

Expression Host : HEK-293

This non-therapeutic biosimilar antibody uses the same variable region sequence as the therapeutic antibody Briakinumab. Briakinumab recognizes both human IL12 and IL23 via IL-12/23p40. This product is for research use only.

Briakinumab is a human monoclonal antibody targets the p40 subunit shared by interleukins 12 and 23. IL-12 associates with IL-23alpha to form the heterodimeric cytokine IL-23. IL-23 is associated with various autoimmune inflammatory diseases, and is particularly highly expressed in psoriasis skin lesions. In addition, IL-23 is suspected to play a role in tumorigenesis. Briakinumab binds to and neutralizes human IL-12 and IL-23 (via their shared p40 subunit) and is being investigated for the treatment of rheumatoid arthritis, inflammatory bowel disease, and multiple sclerosis. Anti-Human IL 12/23 (Briakinumab) utilizes the same variable regions from the therapeutic antibody Briakinumab making it ideal for research projects.

Product Info

| | |
|----------------------------|---|
| Amount : | 50 µg |
| Content : | Concentration : 0.2 mg/ml This R-phycoerythrin (R-PE) conjugate is formulated in 0.01 M phosphate buffered saline (150 mM NaCl) PBS pH 7.4, 1% BSA and 0.09% sodium azide as a preservative. |
| Storage condition : | This R-phycoerythrin (R-PE) conjugate is stable when stored at 2-8°C. Do not freeze. |

Application Note

The suggested concentration for Briakinumab biosimilar antibody for staining cells in flow cytometry is $\leq 1.0 \mu\text{g}$ per 10^6 cells in a volume of $100 \mu\text{l}$. Titration of the reagent is recommended for optimal performance for each application.