

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

## 12-9255: Anti-TIM3 antibody(DM81), Rabbit mAb

Clone Name: Monoclonal
Clone Name: DM81
Application: ELISA,FACS
Reactivity: Human

Alternative Name: HAVCR2, TIM-3, TIMD3, FLJ14428, KIM3, KIM-3

## **Description**

The protein encoded by this gene belongs to the immunoglobulin superfamily, and TIM family of proteins. CD4-positive T helper lymphocytes can be divided into types 1 (Th1) and 2 (Th2) on the basis of their cytokine secretion patterns. Th1 cells are involved in cell-mediated immunity to intracellular pathogens and delayed-type hypersensitivity reactions, whereas, Th2 cells are involved in the control of extracellular helminthic infections and the promotion of atopic and allergic diseases. This protein is a Th1-specific cell surface protein that regulates macrophage activation, and inhibits Th1-mediated auto- and alloimmune responses, and promotes immunological tolerance.

## **Product Info**

**Amount:** 100 μg

**Purification :** Purified from cell culture supernatant by affinity chromatography

Content: Not Sterile

**Storage condition :** Store at -20°C for 12 months (Avoid repeated freezing and thawing)

## **Application Note**

ELISA 1/5000-10000; FACS 1/100




Figure 1. ELISA plate pre-coated by 2  $1\sqrt[3]{4}$ g/ml (100  $1\sqrt[3]{4}$ l/well) Human TIM3 protein, mFc-His tagged protein can bind Rabbit anti-TIM3 monoclonal antibody (clone: DM81) in a linear range of 0.32-40 ng/ml.



9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com




Figure 2. Expi 293 cell line transfected with irrelevant protein (A) and human TIM3 (B) were surface stained with Rabbit anti-TIM3 monoclonal antibody  $1\hat{1}\frac{1}{4}g/ml$  (clone: DM81) followed by Alexa 488-conjugated anti-rabbit IgG secondary antibody.