

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

12-9299: Anti-IL-17RA antibody(DM125), Rabbit mAb

Clonality: Monoclonal
Clone Name: DM125
Application: FACS
Reactivity: Human

Alternative Name: CD217,CDw217,IL-17RA,IL17R,CANDF5,hIL-17R

Description

Interleukin 17A (IL-17A) is a proinflammatory cytokine secreted by activated T-lymphocytes. It is a potent inducer of the maturation of CD34-positive hematopoietic precursors into neutrophils. The transmembrane protein encoded by this gene (interleukin 17A receptor; IL17RA) is a ubiquitous type I membrane glycoprotein that binds with low affinity to interleukin 17A. Interleukin 17A and its receptor play a pathogenic role in many inflammatory and autoimmune diseases such as rheumatoid arthritis. Like other cytokine receptors, this receptor likely has a multimeric structure. Alternative splicing results in multiple transcript variants encoding different isoforms.

Product Info

Amount: 100 µg

Purification : Purified from cell culture supernatant by affinity chromatography

Content: Not Sterile

Storage condition : Store at -20°C for 12 months (Avoid repeated freezing and thawing)

Application Note

FACS 1/100




Figure 1. Flow cytometry analysis with Anti-IL-17RA (DM125) on Expi293 cells transfected with human IL17RA (Blue histogram)or Expi293 transfected with irrelevant protein (Red histogram).