

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

32-13656: IL19 Human, HEK

Format: IL19 protein (0.5mg/ml) contains 10% glycerol and Phosphate-Buffered Saline (pH 7.4).

Alternative Name: Melanoma differentiation association like protein, MDA1, NG.1, ZMDA1, IL-10C, IL-19

Description

Source: HEK293 cells.

Physical Appearance: Sterile filtered colorless solution.

Biological Activitynull

IL19 is a cytokine that belongs to the IL10 cytokine subfamily. IL-19 is found to be preferentially expressed in monocytes. IL19 binds the IL20 receptor complex and lead to the activation of the signal transducer and activator of transcription 3 (STAT3). A similar cytokine in mouse is reported to up-regulate the expression of IL6 and TNF-alpha and induce apoptosis, which suggests a role of this cytokine in inflammatory responses. Alternatively spliced transcript variants encoding the distinct isoforms have been described.

IL19 Human Recombinant produced in HEK293 cells is a single, glycosylated polypeptide chain (a.a 25-177) containing 164 amino acids and having a molecular mass of 19.1 kDa.IL19 is fused to a 6 amino acid His-tag at C-terminus & purified by proprietary chromatographic techniques.

Product Info

Amount: $10 \mu g / 2 \mu g$

Purification : Greater than 95.0% as determined by SDS-PAGE.

Store at 4°C if entire vial will be used within 2-4 weeks. Store, frozen at -20°C for longer periods

Storage condition: of time.For long term storage it is recommended to add a carrier protein (0.1% HSA or

BSA). Avoid multiple freeze-thaw cycles.

Amino Acid: DGSHMLRRCL ISTDMHHIEE SFQEIKRAIQ AKDTFPNVTI LSTLETLQII KPLDVCCVTK NLLAFYVDRV

FKDHOEPNPK ILRKISSIAN SFLYMOKTLR OCOEOROCHC ROEATNATRV IHDNYDOLEV HAAAIKSLGE

LDVFLAWINK NHEVMFSAHH HHHH