

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

32-13674: IL8 Canine, HEK

Format: The IL8 solution (0.25mg/1ml) contains phosphate buffered saline (pH7.4) and 20% glycerol.

Alternative Name: Interleukin-8, IL-8, C-X-C motif chemokine 8, IL8, CXCL8

Description

Source: HEK293 Cells.

Physical Appearance: Sterile filtered colorless solution.

Biological Activitynull

Interleukin-8 (IL-8) is a chemokine produced by macrophages and other cell types such as epithelial cells. IL8 is also synthesized by endothelial cells, which store IL-8 in their storage vesicles, the Weibel-Palade bodies. When first encountering an antigen, the primary cells to encounter it are the macrophages who phagocytose the particle. Upon processing, they release chemokines to signal other immune cells to come in to the site of inflammation. IL-8 is one such chemokine. It serves as a chemical signal that attracts neutrophils at the site of inflammation, and therefore is also known as Neutrophil Chemotactic Factor.

IL8 Canine, HEK Recombinant produced in HEK293 Cells is a single, glycosylated polypeptide chain containing 80 amino acids (28-101 a.a) and having a molecular mass of 9.4 kDa.IL8 is expressed with a 6 amino acid His tag at C-Terminus and purified by proprietary chromatographic techniques.

Product Info

Amount: $10 \mu g / 2 \mu g$

Purification : Greater than 90.0% as determined by SDS-PAGE.

Store at 4°C if entire vial will be used within 2-4 weeks. Store, frozen at -20°C for longer periods

Storage condition: of time.For long term storage it is recommended to add a carrier protein (0.1% HSA or

BSA). Avoid multiple freeze-thaw cycles.

Amino Acid: VSSELRCQCI KTHSTPFHPK YIKELRVIDS GPHCENSEII VKLFNGNEVC LDPKEKWVQK VVQIFLKKAE

KQDPHHHHHH