

30-2899: Anti-Hu CD19 PE-Cy™ 5

| | |
|--------------------------------|--|
| Clonality : | Monoclonal |
| Clone Name : | 4G7 |
| Application : | FACS |
| Reactivity : | Human |
| Conjugate : | PE |
| Gene : | CD19 |
| Gene ID : | 930 |
| Uniprot ID : | P15391 |
| Alternative Name : | B4, Leu-12, CVID3 |
| Isotype : | Mouse IgG1 kappa |
| Immunogen Information : | Human CCL (chronic lymphocytic leukemia) cells |

Description

Specificity: The mouse monoclonal antibody 4G7 recognizes an extracellular epitope of human CD19. CD19 is a transmembrane glycoprotein of Ig superfamily expressed by B cells from the time of heavy chain rearrangement until plasma cell differentiation. It forms a tetrameric complex with CD21 (complement receptor type 2), CD81 (TAPA-1) and Leu13. Together with BCR (B cell antigen receptor), this complex signals to decrease B cell threshold for activation by the antigen. Besides being signal-amplifying coreceptor for BCR, CD19 can also signal independently of BCR coligation and it turns out to be a central regulatory component upon which multiple signaling pathways converge. Mutation of the CD19 gene results in hypogammaglobulinemia, whereas CD19 overexpression causes B cell hyperactivity.

Product Info

| | |
|----------------------------|---|
| Amount : | 100 tests |
| Purification : | Purified antibody is conjugated with activated tandem dye of R-phycoerythrin-cyanine 5 (PE-Cy ⁵) under optimum conditions and unconjugated antibody and free fluorochrome are removed by size-exclusion chromatography. |
| Content : | Formulation: Stabilizing phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide |
| Storage condition : | Store at 2-8°C. Protect from prolonged exposure to light. Do not freeze. |

Application Note

Flow cytometry: The reagent is designed for analysis of human blood cells using 4 µl reagent / 100 µl of whole blood or 10⁶ cells in a suspension. The content of a vial (0.4 ml) is sufficient for 100 tests.




Figure 1: Flow cytometry analysis (surface staining) of human peripheral blood leukocytes with anti-human CD19 (4G7) PE-Cy™ 5.