

## 32-17842: Recombinant Human ITGA2 & ITGB1 Heterodimer Protein, His Tag & hFc Tag

**Uniprot ID :** P05556

**Alternative Name :** Integrin alpha 2 beta 1, ITGA2 & ITGB1

### Description

Molecular Characterization: ITGA2(Tyr30-Thr1132) 6 $\text{Å}$ —His tag and ITGB1(Gln21-Asp728) hFc(Glu99-Ala330)

Molecular weight: The heterodimer protein has a predicted molecular mass of 121.8 kDa and 104.5 kDa separately after removal of the signal peptide.

Description: Recombinant human ITGA2 protein with C-terminal 6 $\text{Å}$ —His tag and human ITGB1 protein with C-terminal human Fc tag

Integrin alpha 2 beta 1 is one of twelve integrin family adhesion receptors that share the beta 1 subunit. It is a receptor for laminin, collagen, collagen C-propeptides, fibronectin and E-cadherin. It recognizes the proline-hydroxylated sequence G-F-P-G-E-R in collagen. It is responsible for adhesion of platelets and other cells to collagens, modulation of collagen and collagenase gene expression, force generation and organization of newly synthesized extracellular matrix. Integrin ITGA2: ITGB1 acts as a receptor for Human rotavirus A and Human echoviruses 1 and 8. DGEA inhibited rotavirus binding to alpha2beta1 and infectivity. In a novel process, integrin-using viruses bind the alpha2 I domain of alpha2beta1 via DGE in VP4 and interact with alphaXbeta2 (via GPR) and alphaVbeta3 by using VP7 to facilitate cell entry and infection.

### Product Info

**Amount :** 100  $\mu\text{g}$  / 50  $\mu\text{g}$

**Content :** Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization.

**Storage condition :** Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.