

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

32-18349: Human BCMA(22-42) Protein, mFc Tag

Uniprot ID: Q02223

Alternative Name: BCM; TNFRSF17; CD269

Description

Description: Recombinant human BCMA(22-42) Protein with C-terminal mouse Fc tag

Background : B-cell maturation protein (BCMA or BCM), is also known as Tumor necrosis factor receptor superfamily member 17 (TNFRSF17), which is encoded by the TNFRSF17 gene. TNFRSF17 is a cell surface receptor of the TNF receptor superfamily which recognizes B-cell activating factor (BAFF). This receptor is expressed in immune organs and mature B cell lines. BCMA promotes B-cell survival and plays a role in the regulation of humoral immunity. BCMA can activate NF-kappa-B and JNK.

Molecular Characterization: mass of 28.5 kDa after removal of the signal peptide. The apparent molecular mass of BCMA(22-42)-mFc is approximately 25-35 kDa due to glycosylation.

Tag: C-mouse Fc tag

Product Info

Amount: 50 μg / 100 μg

Purification: The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue

staining.

Content: Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before

lyophilization.

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended

Storage condition: for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing).

Lyophilized proteins are shipped at ambient temperature.




Figure 1. Human BCMA(22-42) Protein, mFc Tag on SDS-PAGE under reducing condition.