

## 32-18410: Human CLEC7A Protein, hFc Tag

**Uniprot ID :** Q9BXN2

**Alternative Name :** BGR; CD369; CANDF4; SCARE2; DECTIN1; CLECSF12

### Description

**Description :** Recombinant human CLEC7A Protein with N-terminal human Fc tag

**Background :** This gene encodes a member of the C-type lectin/C-type lectin-like domain (CTL/CTLD) superfamily. The encoded glycoprotein is a small type II membrane receptor with an extracellular C-type lectin-like domain fold and a cytoplasmic domain with an immunoreceptor tyrosine-based activation motif. It functions as a pattern-recognition receptor that recognizes a variety of beta-1,3-linked and beta-1,6-linked glucans from fungi and plants, and in this way plays a role in innate immune response. Alternate transcriptional splice variants, encoding different isoforms, have been characterized. This gene is closely linked to other CTL/CTLD superfamily members on chromosome 12p13 in the natural killer gene complex region.

**Molecular Characterization:** mass of 46.7 kDa after removal of the signal peptide. The apparent molecular mass of hFc-CLEC7A is approximately 35-70 kDa due to glycosylation.

**Tag :** N-Human Fc tag

### Product Info

**Amount :** 50 µg / 100 µg

**Purification :** The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue staining.

**Content :** Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization.

**Storage condition :** Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.




Figure 1. Human CLEC7A Protein, hFc Tag on SDS-PAGE under reducing condition.