

12-9471: Anti-GPA33 antibody(DMC497); IgG1 Chimeric mAb

| | |
|---------------------------|-------------------------------|
| Clonality : | Monoclonal |
| Clone Name : | DMC497 |
| Application : | FACS |
| Reactivity : | Human |
| Uniprot ID : | Q99795 |
| Alternative Name : | A33 |
| Isotype : | Rabbit/Human Fc chimeric IgG1 |

Description

Description :Anti-GPA33 antibody(DMC497); IgG1 Chimeric mAb

The glycoprotein encoded by this gene is a cell surface antigen that is expressed in greater than 95% of human colon cancers. The open reading frame encodes a 319-amino acid polypeptide having a putative secretory signal sequence and 3 potential glycosylation sites. The predicted mature protein has a 213-amino acid extracellular region; a single transmembrane domain; and a 62-amino acid intracellular tail. The sequence of the extracellular region contains 2 domains characteristic of the CD2 subgroup of the immunoglobulin (Ig) superfamily. [provided by RefSeq; Jul 2008]

Product Info

| | |
|----------------------------|---|
| Amount : | 10 µg / 100 µg |
| Purification : | Purified from cell culture supernatant by affinity chromatography |
| Content : | Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution. |
| Storage condition : | Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature. |

Application Note

FACS 1:100




Figure 1. Flow cytometry analysis with Anti-GPA33 (DMC497) on Expi293 cells transfected with human GPA33 (Blue histogram) or Expi293 transfected with irrelevant protein (Red histogram).